

L Number	Hits	Search Text	DB	Time stamp
1	1	("6266057").PN.	USPAT	2004/07/18 11:45
2	1	((("6266057").PN.) and (link\$3 nonlink\$3 non-link\$3))	USPAT	2004/07/18 12:09
3	1	("5640193").PN.	USPAT	2004/07/18 12:08
4	1	((("5640193").PN.) and (link\$3 nonlink\$3 non-link\$3))	USPAT	2004/07/18 13:03
5	1	((("5640193").PN.) and (icon button hyperlink\$3))	USPAT	2004/07/18 13:26
6	3	((("5418559") or ("5442389") or ("5539449")).PN.	USPAT	2004/07/18 12:34
7	23495	barcode bar-code (bar adj1 code)	USPAT	2004/07/18 12:36
8	18242	icon	USPAT	2004/07/18 12:37
9	19871	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)	USPAT	2004/07/18 13:16
10	47973	graphic\$2 adj1 (element represent\$7)	USPAT	2004/07/18 12:40
11	63196	icon (graphic\$2 adj1 (element represent\$7))	USPAT	2004/07/18 12:40
12	97	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)) same (icon (graphic\$2 adj1 (element represent\$7)))	USPAT	2004/07/18 12:40
13	20665	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)	USPAT	2004/07/18 13:00
14	7982	(icon (graphic\$2 adj1 (element represent\$7))) with (product merchandi\$2 ads adverti\$6 mail object item document)	USPAT	2004/07/18 13:00
15	76	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) same ((icon (graphic\$2 adj1 (element represent\$7))) with (product merchandi\$2 ads adverti\$6 mail object item document))	USPAT	2004/07/18 13:02
16	4	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) same ((icon (graphic\$2 adj1 (element represent\$7))) with (product merchandi\$2 ads adverti\$6 mail object item document))) not (((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)) same (icon (graphic\$2 adj1 (element represent\$7)))	USPAT	2004/07/18 13:01
17	101	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) same (icon (graphic\$2 adj1 (element represent\$7)))	USPAT	2004/07/18 13:02
18	4	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) same (icon (graphic\$2 adj1 (element represent\$7))) not (((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)) same (icon (graphic\$2 adj1 (element represent\$7)))	USPAT	2004/07/18 13:02
19	1048	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) and (icon (graphic\$2 adj1 (element represent\$7))) and (link\$3 hyperlink\$3 nonlink\$3 non-link\$3)	USPAT	2004/07/18 13:04

20	1881	(icon (graphic\$2 adj1 (element represent\$7))) with (link\$3 hyperlink\$3 nonlink\$3 non-link\$3)	USPAT	2004/07/18 13:04
21	156	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) and ((icon (graphic\$2 adj1 (element represent\$7))) with (link\$3 hyperlink\$3 nonlink\$3 non-link\$3))	USPAT	2004/07/18 13:04
22	121	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) and ((icon (graphic\$2 adj1 (element represent\$7))) with (link\$3 hyperlink\$3 nonlink\$3 non-link\$3)) not (((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)) same (icon (graphic\$2 adj1 (element represent\$7))))	USPAT	2004/07/18 13:15
23	1	("5495581").PN.	USPAT	2004/07/18 13:15
24	1	((("5495581").PN.) and (scann\$3 read\$3 sens\$3)	USPAT	2004/07/18 13:16
25	1	((("5495581").PN.) and (scann\$3 read\$3 sens\$3)) and (icon link\$3 button hyperlink\$3)	USPAT	2004/07/18 13:27
26	1	((("5495581").PN.) and (icon link\$3 button hyperlink\$3)	USPAT	2004/07/18 13:29
27	1	((("5495581").PN.) and (highlight\$3 icon)	USPAT	2004/07/18 13:29

L Number	Hits	Search Text	DB	Time stamp
2	0	((("5511148").PN.) and (highlight\$3 border\$3)	USPAT	2004/07/18 13:45
3	0	((("5511148").PN.) and (dialog)	USPAT	2004/07/18 13:46
1	1	("5511148").PN.	USPAT	2004/07/18 14:41
4	174852	barcode bar-code (bar adj1 code) label marker	USPAT	2004/07/18 14:42
5	32024	(barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)	USPAT	2004/07/18 14:43
6	30813	(barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)	USPAT	2004/07/18 14:46
7	114923	catalog adverti\$8	USPAT	2004/07/18 14:45
8	1754	(barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)	USPAT	2004/07/18 14:45
9	1134	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3 link\$3 hyperlink\$3)	USPAT	2004/07/18 14:46
10	502	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3)	USPAT	2004/07/18 14:46
11	11023	edit\$3 with (product merchandise object item)	USPAT	2004/07/18 14:47
12	71	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3 with (product merchandise object item))	USPAT	2004/07/18 15:08
13	97	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3)) and icon	USPAT	2004/07/18 15:08
14	65	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3)) and icon not (((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3 with (product merchandise object item)))	USPAT	2004/07/18 15:24
15	96	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3)) and icon) and (link\$3 hyperlink\$3)	USPAT	2004/07/18 15:24

L Number	Hits	Search Text	DB	Time stamp
1	1	("6266057").PN.	USPAT	2004/07/18 11:45
2	1	((("6266057").PN.) and (link\$3 nonlink\$3 non-link\$3)	USPAT	2004/07/18 12:09
3	1	("5640193").PN.	USPAT	2004/07/18 12:08
4	1	((("5640193").PN.) and (link\$3 nonlink\$3 non-link\$3)	USPAT	2004/07/18 13:03
5	1	((("5640193").PN.) and (icon button hyperlink\$3)	USPAT	2004/07/18 13:26
6	3	((("5418559") or ("5442389") or ("5539449")).PN.	USPAT	2004/07/18 12:34
7	23495	barcode bar-code (bar adj1 code)	USPAT	2004/07/18 12:36
8	18242	icon	USPAT	2004/07/18 12:37
9	19871	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)	USPAT	2004/07/18 13:16
10	47973	graphic\$2 adj1 (element represent\$7)	USPAT	2004/07/18 12:40
11	63196	icon (graphic\$2 adj1 (element represent\$7))	USPAT	2004/07/18 12:40
12	97	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)) same (icon (graphic\$2 adj1 (element represent\$7)))	USPAT	2004/07/18 12:40
13	20665	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)	USPAT	2004/07/18 13:00
14	7982	(icon (graphic\$2 adj1 (element represent\$7))) with (product merchandi\$2 ads adverti\$6 mail object item document)	USPAT	2004/07/18 13:00
15	76	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) same ((icon (graphic\$2 adj1 (element represent\$7))) with (product merchandi\$2 ads adverti\$6 mail object item document))) not (((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)) same (icon (graphic\$2 adj1 (element represent\$7)))	USPAT	2004/07/18 13:02
16	4	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) same ((icon (graphic\$2 adj1 (element represent\$7))) with (product merchandi\$2 ads adverti\$6 mail object item document))) not (((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)) same (icon (graphic\$2 adj1 (element represent\$7)))	USPAT	2004/07/18 13:01
17	101	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) same (icon (graphic\$2 adj1 (element represent\$7)))	USPAT	2004/07/18 13:02
18	4	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) same (icon (graphic\$2 adj1 (element represent\$7))) not (((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)) same (icon (graphic\$2 adj1 (element represent\$7)))	USPAT	2004/07/18 13:02
19	1048	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) and (icon (graphic\$2 adj1 (element represent\$7))) and (link\$3 hyperlink\$3 nonlink\$3 non-link\$3)	USPAT	2004/07/18 13:04

20	1881	((icon (graphic\$2 adj1 (element represent\$7))) with (link\$3 hyperlink\$3 nonlink\$3 non-link\$3))	USPAT	2004/07/18 13:04
21	156	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) and ((icon (graphic\$2 adj1 (element represent\$7))) with (link\$3 hyperlink\$3 nonlink\$3 non-link\$3))	USPAT	2004/07/18 13:04
22	121	((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product merchandi\$2 ads adverti\$6 mail object item document)) and ((icon (graphic\$2 adj1 (element represent\$7))) with (link\$3 hyperlink\$3 nonlink\$3 non-link\$3)) not (((barcode bar-code (bar adj1 code)) identif\$7 mark\$2) with (scann\$3 read\$3 sens\$3) with (product object item document)) same (icon (graphic\$2 adj1 (element represent\$7))))	USPAT	2004/07/18 13:15
23	1	("5495581").PN.	USPAT	2004/07/18 13:15
24	1	((("5495581").PN.) and (scann\$3 read\$3 sens\$3))	USPAT	2004/07/18 13:16
25	1	((("5495581").PN.) and (scann\$3 read\$3 sens\$3)) and (icon link\$3 button hyperlink\$3)	USPAT	2004/07/18 13:27
26	1	((("5495581").PN.) and (icon link\$3 button hyperlink\$3))	USPAT	2004/07/18 13:29
27	1	((("5495581").PN.) and (highlight\$3 icon))	USPAT	2004/07/18 13:29

L Number	Hits	Search Text	DB	Time stamp
2	0	((("5511148").PN.) and (highlight\$3 border\$3)	USPAT	2004/07/18 13:45
3	0	((("5511148").PN.) and (dialog)	USPAT	2004/07/18 13:46
1	1	("5511148").PN.	USPAT	2004/07/18 14:41
4	174852	barcode bar-code (bar adj1 code) label marker	USPAT	2004/07/18 14:42
5	32024	(barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)	USPAT	2004/07/18 14:43
6	30813	(barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)	USPAT	2004/07/18 14:46
7	114923	catalog adverti\$8	USPAT	2004/07/18 14:45
8	1754	(barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)	USPAT	2004/07/18 14:45
9	1134	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3 link\$3 hyperlink\$3)	USPAT	2004/07/18 14:46
10	502	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3	USPAT	2004/07/18 14:46
11	11023	edit\$3 with (product merchandise object item)	USPAT	2004/07/18 14:47
12	71	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3 with (product merchandise object item))	USPAT	2004/07/18 15:08
13	97	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3)) and icon	USPAT	2004/07/18 15:08
14	65	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3)) and icon) not (((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3 with (product merchandise object item)))	USPAT	2004/07/18 15:24
15	96	((barcode bar-code (bar adj1 code) label marker) and ((barcode bar-code (bar adj1 code) label marker) with (scan\$4 read\$3)) and ((barcode bar-code (bar adj1 code) label marker) with (product merchandise object item)) and (catalog adverti\$8)) and (edit\$3)) and icon) and (link\$3 hyperlink\$3)	USPAT	2004/07/18 15:24